## **Definitions**

Digicel BVI v. 1.0



C&W Commercial In Confidence

Page 1 of 11

C&W JMA

Digicel &

## **Definitions**

Acceptance Testing The process described in Paragraph 2.4 of the Joint Working Manual

Act The Telecommunications Act 2006 of the British Virgin Islands, as amended

from time to time

Answer Message An ISUP answer message (ANM)

Answered Call A Call where an Answer Message has been received

Associated Company Means a subsidiary or holding company of a Party or another subsidiary of such

a holding company

Automatic Call Distributor or ACD

Distributor or ACD System A switch that queues and distributes incoming Calls so that the Call which has been waiting the longest is sent to the next available operator and the operator who has been waiting the longest is sent the next available Call

Automatic Number Identification (ANI) The billing telephone number associated with the access line from which a call originates. ANI and CLI are usually the same

Billing Data Information in resp

Information in respect of Calls passed across the Point of Connection during the relevant Billing Period as more particularly described in the Joint Working Manual

Billing Period

The monthly period ending on the last day of every month

**Business Day** 

C&W System

A day, Monday through Friday, that is a normal working day for Government offices in the British Virgin Islands

The System established and operated by C&W under its Public Network Operator Licence

Call

The set-up, holding and ending of a transmission path through the System of either Party into the System of the other Party for conveyance of Messages within 3.1 Khz speech service in accordance with the technical specifications set out in Joint Working Manual, and reference to the conveyance of Calls by a Party means the establishment by that Party of a transmission path through that Party's System and the conveyance by that Party in accordance with this Agreement of a Message (if any) over such transmission path

Call Availability

Has the meaning given to it in Paragraph 1.6.5.1 of the Joint Working Manual

Call Duration

Period between Call Start and Call End

Call End

The point during a Call at which an ISUP release message (REL) is received by the Service Supplier System or Service Taker System, as the context requires

Call Setup

The signalling activities required to set up a Call

Call Start

The point during a Call Setup at which an Answer Message is received by the Service Supplier System or Service Taker System, as the context requires

Carrier System

A point to point transmission facility operating at 155 Mbit/s whose sole purpose is to provide E1, 2.048Mbit/s, Network Links between a Service Supplier Circuit Termination Unit and a Service Taker Circuit Termination Unit. It incorporates the multiplexing and de-multiplexing of E1 bearer services

Carrier System Fault

Has the meaning given to it in Paragraph 2.5.1.1 of the Joint Working Manual

CCS (Centi Call Seconds) The unit of telecommunications traffic measurement, amounting to one hundred call seconds

CDRs

Call Data Records

C&W Commercial In Confidence

Page 2 of 11

C&W JMA

Digicel Ah

Charges

The amounts specified in the Tariff Schedule and described in the Service Descriptions which are payable pursuant to Clause 9

Circuit Termination Unit or CTU A technical unit at which the Optical In-Span Joining Service is terminated and which has the technical specifications set out in the Joint Working Manual

Claim

Has the meaning given to in Clause 26.6

CLI (Calling Line Identification)

The SS7 out of band signalling parameter which automatically transmits the directory number associated with the Subscriber Connection from which a Call is generated, to the called customer

Commission

The Telecommunications Regulatory Commission of the British Virgin Islands established by Section 5 of the Act

Confidential Information Any information, in whatever form, which: (i) in the case of written or electronic information is clearly designated as confidential and which in the case of information disclosed orally is identified at the time of disclosure as being confidential or (ii) is by its nature confidential (including but not limited to all information (excluding CLI), know-how, ideas, concepts, technology, manufacturing processes, industrial processes, billing information, marketing and commercial knowledge of a confidential nature (whether in tangible or intangible form) relating to or developed in connection with or in support of the business, of either Party within the British Virgin Islands) and including such Confidential Information already disclosed by either Party to the other prior to the date of this Agreement, but excluding any information:

- (a) Which is or becomes part of the public domain (other than through any breach of this Agreement or any obligation of confidence); or
- (b) Rightfully received by one Party from a third person without a duty of confidentiality being owed by the other Party to the third person, except where the other Party knows or ought reasonably to know that the third person has obtained that information either directly or indirectly as a result of a breach of a duty of confidence owed to the first mentioned Party; or
- (c) Which has been independently developed by another Party; or
- (d) Which is in the possession of or is known by the Receiving Party prior to its receipt from the Disclosing Party;
- (e) Which is disclosed to satisfy a legal demand by a court of competent jurisdiction or by a government agency, provided
  - the Disclosing Party requests to the court or the government agency that it keep such information confidential; and
  - informs the other Party of such demand as soon as reasonably possible to
    permit said Party to take such actions (including seeking injunctive
    relief) to protect the confidentiality of all or part of such information and
    disclosure is only made to the extent required; or
- (f) which is authorised to be disclosed by the Disclosing Party in writing to the Receiving Party to the extent of that authority; or
- (g) which is disclosed to obtain or maintain any listing on a recognised stock exchange subject to the Receiving Party informing the Disclosing Party as soon as reasonably practicable after such disclosure

Critical Link Failure
Critical Route Failure
CTU Patch Panel

Has the meaning given to it in Paragraph 2.5.1.3 of the Joint Working Manual

Has the meaning given to it in Paragraph 2.5.1.3 of the Joint Working Manual

The interface between the CTU multiplexing equipment and the respective Service Supplier/Service Taker switch

C&W Commercial In Confidence

Page 3 of 11

C&W JMA

Frame

Digicel A

Customer Facing Division	A division which deals directly with Subscribers and includes those responsible for sales and marketing of C&W services, including C&W mobile services.
Deal With	Has the meaning given to it in Clause 26.6
Dial Set-up Delay	Has the meaning given to it in Paragraph 1.6.6 of the Joint Working Manual
Digicel System	The System established and operated by Digicel pursuant to its Public Network Operator Licence
Disclosing Party	A Party disclosing Confidential Information to the other Party
Early Termination Charge	The amount set out in the Tariff Schedule and chargeable pursuant to Paragraph 2.3.2.6 of the Joint Working Manual
Electromagnetic Compatibility (EMC)	A set of requirements more particularly described in Paragraph 1.3.5 of the Joint Working Manual that define the maximum radiation for equipment against international standards
Emergency Centre	The call centre or centres operated by or for the police, fire, ambulance and such other emergency services as may be prescribed in regulations under the Act, for the handling of Calls to those services conveyed pursuant to the Emergency Services Access Service
Emergency Services Access Service	The service of that name more particularly described in the Service Descriptions
Erlang	A unit used to denote the utilisation of a telecommunications system expressed as a single hour measurement or a total of single hour measurements, usually during a busy hour
Error Free Seconds	A second which is not an Errored Second or a Severely Errored Second
Errored Second	Has the meaning given to it in Paragraph 1.4.1.3 of the Joint Working Manual
Fatal Fault	Has the meaning given to it in Paragraph 4.8.1.2 of the Joint Working Manual
Fault	A fault on a Party's System
Fault Control Centre or FCC	The fault control centre more particularly described in Paragraph 2.5.2.1 of the Joint Working Manual
Fault Control Manager	A person with the responsibilities outlined in Paragraph 2.2.1.1 of the Joint Working Manual
Fault Log Number	A log number given to a Fault in accordance with Paragraph 2.5.2.2 of the Joint Working Manual
Fault Owner	The Party who is responsible for clearing a Fault

Fault Restoration Times

Fault Receiving Party

Fault Reporting Party

The times for restoration of a service as more particularly described in the Joint Working Manual and Parameter Schedule

Final Forecast

A Forecast accepted and signed off by both Parties as more particularly described in Paragraph 2.3.1.6 of the Joint Working Manual

Final Test Report

The log of interconnection tests produced in accordance with Chapter 4 of the Joint Working Manual

First Live Traffic

The third phase of interconnect testing as more particularly described in Chapter 4 of the Joint Working Manual

C&W Commercial In Confidence

The Party who is in receipt of a Fault report

The Party who has reported a Fault

Page 4 of 11

C&W JMA

Digicel Ah

Force Majeure

Any circumstances outside the reasonable control of a Party, including (without limitation), officially declared national disasters, insurrection or civil disorder, war or military operations, national or local emergency, currency fluctuations, acts or omissions of government, act of God, fire, earthquake, hurricane, flood, lightning or explosion, outbreak of pestilence or epidemics, government rationing of electricity and embargos or trade restrictions

Forecast

A quantitative prediction made by the Service Taker for the Services required from the Service Supplier over an agreed period in accordance with the provisions of the Joint Working Manual

Forecasting Meetings

The meetings more particularly described in Paragraph 2.2.2.3 of the Joint Working Manual

Imperfections

Faults identified in testing which are more particularly described in Paragraph 4.8.1.6 of the Joint Working Manual

Inadmissible Fault

A fault identified in testing which is more particularly described in Paragraph 4.8.1.3 of the Joint Working Manual

Incoming International Call Termination to PLMN Service The Service of that name more particularly described in the Service Descriptions

Incoming International Call Termination to PSTN Service The Service of that name more particularly described in the Service Descriptions

Incoming International PLMN Termination Call

A Call originating on the System of a Third Party International Telecom Provider, conveyed over the System of the Service Taker for termination on a Service Supplier PLMN Subscriber Connection

Incoming International PSTN Termination Call A Call originating on the System of a Third Party International Telecom Provider, conveyed over the System of the Service Taker for termination on a Service Supplier PSTN Subscriber Connection

Incoming International Tariff

The charges levied on a Third Party International Carrier for the conveyance of Calls to valid number ranges associated with the Service Supplier PLMN Subscriber Connections.

Incoming International Mobile Termination Rate The Charge of that name as specified in the Tariff Schedule

Indemnified Party

Has the meaning given to it in Clause 26.5 Has the meaning given to it in Clause 26.5

Indemnifying Party
Individual Location
Tests

The first phase of testing as more particularly described in chapter 4 of the Joint Working Manual

Intellectual Property Rights (IPR) Letters patent, utility models, semi-conductor topographies, registered designs, design rights and copyrights, trade and service marks, trade names, rights in logos and get up, inventions, trade secrets and know-how, all rights of whatsoever nature in computer software and data, all rights of privacy and all intangible rights and privileges of a similar nature, in every case in any part of the world and whether or not registered and including all granted registrations and all applications for registration in respect of any of the same

Interconnect Access Area The set of C&W PSTN network numbering prefixes specified in the Service Schedule which are supported by the C&W Interconnect Switch Location and designated other switches

C&W Commercial In Confidence

Page 5 of 11

C&W JMA

Digicel A

Interconnect Resolution Log	A log of interconnection issues that is used to keep track of interconnect issues and their status as more particularly described in Paragraph 2.2.5 of the Joint Working Manual
Interconnect Switch Location (ISL)	A switch location which is part of a Party's System and which is specified in the Service Schedule as a location at which interconnection is offered and provided
Internally Detected Faults	Faults that a Party detects within its own network
IP Indemnified Party	Has the meaning given to it in Clause 20.2
IP Indemnifying Party	Has the meaning given to it in Clause 20.2
IP Owner	Has the meaning given to it in Clause 20.3
Joining Service	Optical In-span Joining Service
Joint Box	A lockable box located between the Service Supplier and Service Taker's respective Interconnect Switch Locations provided by the Service Taker of the Optical In-span Joining Service to the specifications in the Joint Working Manual
Joint Working Manual	The name given to the document at Schedule 3 of this Agreement
Liaison Manager	The representative with the role set out in Paragraph 2.2.1.1 of the Joint Working Manual
Maintenance Party	Has the meaning given to it in Paragraph 2.6.1.2 of the Joint Working Manual
Major Link Failure	Has the meaning given to it in Paragraph 2.5.1.3 of the Joint Working Manual
Major Route Failure	Has the meaning given to it in Paragraph 2.5.1.3 of the Joint Working Manual
Messages	3.1Khz speech and the associated C7 protocol used to convey the call setup, cleardown and supplementary service information for such messages together with SMS Messages and Roaming Messages
Minister	Has the meaning given to it by Section 2 of the Act
Minor Route Failure	Has the meaning given to it in section 2.5.1.3 of the Joint Working Manual
Mobile Termination Rate	The Mobile Termination part of the Usage Charges for Fixed-to-Mobile and Mobile-to-Mobile Calls, pursuant to the PLMN Terminating Access Service, as set out in the Tariff Schedule
Monthly Recurring Charge	A Charge, set out in the Tariff Schedule, that is payable monthly in accordance with Clause 9 and the relevant Service Description
National Numbering Plan	The numbering regime for the British Virgin Islands geographic and non- geographic numbers, including the NXX national prefixes and local subscriber portion, administered by the Commission pursuant to Section 40 of the Act
Network Fault	A Fault of the type more particularly described in Paragraph 2.5.1.1 of the Joint Working Manual
Network Integration Tests	The second phase of interconnect testing described in Chapter 4 of the Joint Working Manual
Network Link	Uni-directional E1 transmission facilities within a 155 Mbit/s Carrier System
Network Link Availability	Has the meaning given to it in Paragraph 1.4.1.2 of the Joint Working Manual
Non-Service Affecting or NSA	The Faults more particularly described in Paragraph 2.5.1.2 of the Joint Working Manual

Page 6 of 11

NPA (Numbering Plan Area)	A geographic division within which no two (2) telephones will have the same seven (7) digit number
NXX	The current general configuration for exchange codes within each NPA
One-off Charges	Charges that are generally non-recurring and specified in the Tariff Schedule
Operational Field Trial	The third phase of interconnect testing as described in Chapter 4 of the Joint Working Manual
Operational Meetings	The meetings more particularly described in Paragraph 2.2.2.8 of the Joint Working Manual
Operations Manager	The representative with the responsibilities referred to in Paragraph 2.2.1.1 of the Joint Working Manual
Operator Service	A service that includes input from an operator in a Call Centre
Optical Fibre	A high capacity transmission medium used for telecommunications transmission
Optical In-span Joining Service	The service of that name more particularly described in the Service Descriptions
Order	A request for the provision of services pursuant to this Agreement and in the format set out in the Joint Working Manual
Order Plan	A plan detailing the ordered services for a period of a Quarter, agreed and signed by both Parties in accordance with the Joint Working Manual
Order Planning Meetings	The meetings more particularly described in Paragraph 2.2.2.4 of the Joint Working Manual
Other Affected Party	Has the meaning given to it in Paragraph 2.5.2.5 of the Joint Working Manual
Overall Test Manager	The representative with the responsibilities outlined in Paragraph 4.9.1.3 of the Joint Working Manual
Parameter Schedule	The name given to the document in Schedule 5 of this Agreement
Party	Either Digicel or C&W in this Agreement, according to context
Penalty Charger	Has the meaning given to it in Paragraph 2.3.7.1 of the Joint Working Manual
Penalty Payer	Has the meaning given to it in Paragraph 2.3.7.1 of the Joint Working Manual
Performance Reports	The reports submitted on a monthly basis more particularly described in section 2.2.4 of the Joint Working Manual
Planned Maintenance	Maintenance falling within the description in Paragraph 2.6.1.1 of the Joint Working Manual
Planning Manager	A representative with the responsibilities outlined in Paragraph 2.2.1.1 of the Joint Working Manual
PLMN	Public Land Mobile Network
PLMN Subscriber Connection	The point connected to the PLMN where a telecommunications service is made available to a Subscriber
PLMN Terminating Access Service	The Service of that name as more particularly described in the Service Descriptions
Point of Connection	A physical point between the Systems of the Parties to this Agreement at which the provision of and responsibility for a Service starts or ends

Digicel Ab

Point of Handover A physical point between the System of one of the Parties to this Agreement and the System of a Third Party Telecom Provider at which the provision of and responsibility for a Service starts or ends A representative with the responsibilities outlined in Paragraph 2.2.1.1 of the Project Manager Joint Working Manual Has the meaning given to it in Paragraph 1.6.7.1 of the Joint Working Manual Propagation Delay Provisional Forecast A forecast for all services that a Party requires in the role of Service Taker from the other Party in the role of Service Supplier for the ensuing two year period, covering the Joining Service requirements, and traffic forecasts for all other requested services. Forecasts will be divided into eight quarters. Provisional Forecast becomes a Final Forecast once agreed with the other Party PSTN The public switched telephone network, which for the avoidance of doubt includes fixed wireline or wireless technology, or any combination thereof PSTN Subscriber The point connected to the PSTN where a telecommunications service is made Connection available to a Subscriber **PSTN Terminating** The service of that name as more particularly described in the Service Access Service Descriptions Public Network A person licensed by the Commission in accordance with the Act to operate a telecommunications network and provide Operator certain public telecommunications services, including basic public voice telephony services (and Public Network Operator Licence shall have the corresponding meaning) Public Voice Network The public telecommunications network used for the provision of public voice telephony services Public Voice Services Public voice telephony services for 3.1 Khz speech service provided over the network of a Public Network Operator The standard to which a service will be provided Quality of Service Quarter A three calendar month period, commencing on 1 January, 1 April, 1 July or 1 October Ready for Service Date The date, specified in the Order Plan or as otherwise agreed between the Parties, on which a Service will be ready for use Ready for Test Date The date, specified in the Order Plan or as otherwise agreed between the Parties, on which a Service will be ready for Network Interconnection Testing Receiving Party A person receiving Confidential Information Release Message Has the meaning given to it in ETS 300 008 Response Time Has the meaning given to it in Paragraph 2.5.3.4 of the Joint Working Manual The times for restoration of a Fault detailed on a service by service basis in the Restoration Times Joint Working Manual and Parameter Schedule RIO A Reference Interconnection Offer or Standard Interconnection Agreement Service One of the services more particularly described in the Service Descriptions

under the category of "Joining Services", "Termination Services", "Special

Access Services" and "Transit Services"

Service Affecting or The Faults more particularly described in Paragraph 2.5.1.2 of the Joint

SA Working Manual

Service Descriptions The name given to the document in Schedule 2 of this Agreement

C&W Commercial In Confidence

Page 8 of 11

C&W\_JMA

Digicel 6

Service Implementation Meetings	The meetings more particularly described in Paragraph 2.2.2.2 of the Joint Working Manual
Service Quality Manager	A representative with the responsibilities outlined in Paragraph 2.2.1.1 of the Joint Working Manual
Service Schedule	The name given to the document in Schedule 4 of this Agreement
Service Supplier	The Party who provides a Service as specified on a service by service basis in the Service Schedule
Service Switching Point	A C7 signalling facility in the Service Supplier/Service Taker System
Service Taker	The Party who requests a Service as specified on a service by service basis in the Service Schedule
Severely Errored Second	Has the meaning given to it in Paragraph 1.4.1.4 of the Joint Working Manual
Short Message Service (SMS) Message	Up to 160 alphanumeric characters that can be sent/received from suitably equipped mobile phones on a suitably configured mobile network
Signalling Links	A 64 kbit/s transmission path provided exclusively for the exchange of signalling messages between Service Switching Points of the Service Taker and the Service Supplier as more particularly described in the Joint Working Manual
SNC-P	Sub-Network Connection Protection conforming to G.841
Subscriber	An end user with whom one of the Parties to this Agreement or a Third Party Telecom Provider has entered into an agreement for the provision of publicly available telecommunication services
Subscriber Connection	The point at which a Subscriber connects to the PSTN or a PLMN as the case may be
Switch	A facility which performs the function or is capable of performing the function of switching and routing Messages between two or more points
System	Telecommunications facilities, including but not limited to switches, routers and network links
Tariff Period	A period of hours during which specific tariffs are applied, namely peak rate, off-peak rate and weekend
Tariff Schedule	The name given to the document in Schedule 6 of this Agreement
Telecommunications Apparatus	Any facility, apparatus or other thing that is used or capable of being used for telecommunications or for any operation directly connected with telecommunications
Telecom Provider	A person operating a telecommunications network or providing a telecommunications service
Termination Services	The services more particularly described in Part 2 of the Service Descriptions
Test Control Board	Has the meaning given to in chapter 4 of the Joint Working Manual
Test Guidelines	Has the meaning given to in chapter 4 of the Joint Working Manual
Test Report	Has the meaning given to in chapter 4 of the Joint Working Manual
Test Sheet	Has the meaning given to in chapter 4 of the Joint Working Manual
Test Specification	Has the meaning given to in chapter 4 of the Joint Working Manual
	C&W Commercial In Confidence Page 9 of 11

Digicel

Test Suite	Has the meaning given to in chapter 4 of the Joint Working Manual
Third Party International Telecom Provider	A Telecom Provider licensed in a country outside of the British Virgin Islands and providing services outside the British Virgin Islands, other than a Service Supplier or Service Taker
Third Party Fixed Telecom Provider	A Telecom Provider providing fixed-line or fixed wireless services in the British Virgin Islands that holds the necessary Public Network Operator Licence, other than a Service Supplier or Service Taker
Third Party Mobile Telecom Provider	A Telecom Provider providing mobile services in the British Virgin Islands that holds the necessary Public Network Operator Licence, other than a Service Supplier or Service Taker
Third Party National Telecom Provider	A Telecom Provider licensed to provide services in the British Virgin Islands, other than a Service Supplier or Service Taker. A Third Party National Telecom Provider can include a Third Party Fixed Telecom Provider or a Third Party Mobile Telecom Provider
Third Party Telecom Provider	A licensed provider of telecommunication services other than the Parties to this Agreement, including (without limitation) a Third Party Fixed Telecom Provider, a Third Party International Telecom Provider, a Third Party National Telecom Provider, a Third Party Mobile Telecom Provider, a National Freephone Service Provider and an International Freephone Service Provider
Time Unit	The accuracy to which the Call Duration is measured, which is one tenth of a second
Transit Service	The service of that name as more particularly described in the Service Descriptions
Transit Services	The services more particularly described in Part 4 of the Service Descriptions
Trunk Group	An assignment of service traffic into dedicated routes, having the characteristics described in Paragraph 1.6.2 of the Joint Working Manual
Unsuccessful Call Attempt	A Call attempt in which the Call Set-Up was unsuccessful
Usage Charges	The usage-related charges that are specified in the Tariff Schedule
Verification Time	Has the meaning given to it in Paragraph 2.5.3.7 of the Joint Working Manual

Digicel 46